Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2367	((717/101,121,171) or (709/201)). CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 08:25
L2	76344	application with environment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:25
L3	580	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:25
L4	2313	application with environment with defin$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:25
L5	62	1 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:39
L6	278	(717/104).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 08:40
L7	12	4 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 08:40

Google™

application environment ~define metadata | Search | Advanced Search
Preferences

Web   Results **1** - **10** of about **761,000** for **application** **environment** **~define** metadata. (0.28 seconds)

Contents
Application Development for Authentication Modules. Distributed Transactions ...
Dropping CPU and User-**Defined** Virtual Processors ...
publib.boulder.ibm.com/infocenter/ ids9help/topic/com.ibm.admin.doc/admin02.htm - 109k - Cached - Similar pages

Research on **Application** of the Method-**Metadata** in Resources ...
Policy : International; Research on **Application** of the Method-**Metadata** in
Resources & **Environment** Information System.
www.gisdevelopment.net/policy/ international/interna015pf.htm - 14k - Cached - Similar pages

IESR: **Metadata** Terms
dc:title, JISC Information **Environment** Service Registry (IESR) **Metadata** Terms
... This document **defines metadata** terms within the IESR namespace for the ...
www.iesr.ac.uk/terms/ - 33k - Cached - Similar pages

D24 - **Metadata** Watch Report #3
This is in line with Heery and Patel [2] who **define application** profiles as ...
As an example, the namespace for the Dublin Core **Metadata** Element Set, ...
www.schemas-forum.org/ metadata-watch/third/section2.html - 14k - Cached - Similar pages

Metadata (Linktionary term)
Business **metadata** makes the services of the enterprise **environment** more understandable
to end ... Database design is all about **defining metadata** schemas. ...
www.linktionary.com/m/**metadata**.html - 14k - Cached - Similar pages

[PPT] PowerPoint Presentation Template
File Format: Microsoft Powerpoint 97 - View as HTML
Metadata Special Interest group. Presentation Outline. **Defining Metadata** ...
usage and treatment of data within a system, **application** or **environment**. ...
www.irmac.ca/0203/ IRMAC%20Metadata%20SIG%20Presentation.ppt - Similar pages

9702
This type of **metadata** management **environment** requires that we use the same ...
The properties that **define** a single **metadata** object maybe distributed across ...
www.inastrol.com/Articles/9702.htm - 19k - Cached - Similar pages

[PPT] IEMSR, The Information **Environment & Metadata Application** Profiles
File Format: Microsoft Powerpoint 97 - View as HTML
the Information **Environment** & **Metadata Application** Profiles ... "**Metadata** terms"
defined and managed as sets created for some functional requirement ...
www.ukoln.ac.uk/projects/ iemsr/dissem/pres/iemaps/iemaps.ppt - Similar pages

Cultivate Interactive Issue 3: **Application** Profiles, or how to Mix ...
If you want to **define a metadata** schema for your electronic resources, ...
This is in line with Heery and Patel [4] who **define application** profiles as ...
www.cultivate-int.org/issue3/schemas/ - 34k - Cached - Similar pages

Metadata Management: the Foundation for Enterprise Information ...
This **Metadata defines** the key attributes of the corporate assets available for
reuse and, ... physical, and process aspects of the **application environment**, ...

Google™

application environment ~define | Search | Advanced Search
                                                       Preferences

Web   Results **1 - 10** of about **32,100,000** for <u>application environment ~define</u>. (0.38 seconds)

[PDF] Wireless **Application Environment Defined** Media Type Specification
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Wireless **Application Environment Defined** Media Type. Specification ... Wireless
Application Environment (WAE) is part of the WAP Forum's effort to specify ...
www.wmlclub.com/docs/especwap2.0/ WAP-237-WAEMT-20010515-p.pdf - <u>Similar pages</u>

<u>Using IWMARIN0 (example of steps for **defining** an **application** ...</u>
Define an **application environment**. (IWMAM600) | .
---. When filling
out the previous panel, ...
publib.boulder.ibm.com/.../wasinfo/v5r0/topic/ com.ibm.websphere.zseries.doc/info/zseries/ae/tins_wlmex.html - 8k -
<u>Cached</u> - <u>Similar pages</u>

Contents
Writing TPF **Application** Programs in C and C++. Special TPF Considerations ...
TPF Testing **Environment** for Assembly Language ...
publib.boulder.ibm.com/infocenter/tpfhelp/ v1r3m0/topic/com.ibm.tpf.doc_put.19/gtpa2/gtpa2m02.htm -
45k - <u>Cached</u> - <u>Similar pages</u>
[<u>More results from publib.boulder.ibm.com</u>]

[PDF] <u>Using the PersonalJava **Application Environment** Compatibility ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
Application Environment (PJAE) includes a small set of new PJAE classes that are
... **environment** variable **defines** a list of directories that the Java ...
java.sun.com/products/ personaljava/pjcc-userguide1_2.pdf - <u>Similar pages</u>

PersonalJava Emulation **Environment**
The PersonalJava emulation **environment** helps you verify that the applets and ...
This ensures that your applet or **application** will be able to run on any ...
java.sun.com/products/personaljava/pj-emulation.html - 15k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>An Iconic **Environment** for the Definition of Visual DBMSs</u>
File Format: PDF/Adobe Acrobat
Once the **Application Environment** is **defined**, the. VDDL can be tailored to the
data model which best suits. the users' needs for that **application** domain. ...
doi.ieeecomputersociety.org/10.1109/VL.1998.706136 - <u>Similar pages</u>

<u>Microsoft Office Assistance: About customizing your **application's** ...</u>
About customizing your **application's environment** with user profiles and run-time
... A user profile **defined** for the operating system applies to every ...
office.microsoft.com/en-us/ assistance/HP052374601033.aspx - 27k - <u>Cached</u> - <u>Similar pages</u>

[PPT] <u>LCW: CERN Clusters</u>
File Format: Microsoft Powerpoint 97 - <u>View as HTML</u>
Defining environment variables. Group accounts: Useful, but bad for security /
auditing. Framework for **environment** definition. 2001/05/25. 3. **Application** ...
conferences.fnal.gov/lccws/papers/fri/B4_Summary.ppt - <u>Similar pages</u>

<u>Common Applications **Environment** definition of Common Applications ...</u>
Computer term of Common Applications **Environment** in the Computing Dictionary and

P☾RTAL

USPTO

Search: ○ The ACM Digital Library   ◉ The Guide

application environment define   **SEARCH**

THE GUIDE TO COMPUTING LITERATURE

▪ Feedback Report a problem Satisfaction survey

Terms used **application** **environment** **define**   Found **134,597** of **869,947**

Sort results by | relevance ▾ | ❤ Save results to a Binder   Try an Advanced Search
Display results | expanded form ▾ | ? Search Tips   Try this search in The Digital Library
                                           ☐ Open results in a new window

Results 1 - 20 of 200   Result page: **1** 2 3 4 5 6 7 8 9 10   next
Best 200 shown   Relevance scale ☐ ▫ ▪ ■ ■

1 A transformational approach to generating application-specific environments   ■
David Garlan, Linxi Cai, Robert L. Nord
November 1992 **ACM SIGSOFT Software Engineering Notes , Proceedings of the fifth ACM SIGSOFT symposium on Software development environments**, Volume 17 Issue 5

Full text available: 📄 pdf(1.23 MB)   Additional Information: full citation, abstract, references, citings, index terms

Current software development environments tend to lie at opposite ends of a spectrum: at one extreme are specialized application generators; at the other are general-purpose programming environments. The former provide strong support for system development and reuse, but are costly to build and available only for limited domains. The latter provide weak support, but are generally available and universally applicable. We describe a technique for automating the production of applic ...

2 TAE Plus: Transportable Applications Environment Plus: a user interface development environment   ■
Martha R. Szczur, Sylvia B. Sheppard
January 1993 **ACM Transactions on Information Systems (TOIS)**, Volume 11 Issue 1

Full text available: 📄 pdf(1.99 MB)   Additional Information: full citation, abstract, references, citings, index terms

The Transportable Applications Environment Plus (TAE Plus) is a NASA-developed user interface development environment (UIDE) for the rapid prototyping, evaluation, implementation, and management of user interfaces. TAE Plus provides an intuitive What You See Is What You Get (WYSIWYG) WorkBench for designing an application's user interface. The WorkBench supports the creation and sequencing of displays, including real-time, data-driven display objects. Users can define context-sensitive help ...

Keywords: graphical user interfaces, prototyping, user interface development tools

3 Securing context-aware applications using environment roles   ■
Michael J. Covington, Wende Long, Srividhya Srinivasan, Anind K. Dev, Mustaque Ahamad, Gregory D. Abowd
May 2001 **Proceedings of the sixth ACM symposium on Access control models and technologies**

Full text available: 📄 pdf(131.07 KB)   Additional Information: full citation, abstract, references, citings, index terms